

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 1

| <u>SECTION/MEMORIAL NAME</u> | <u>MEMORIAL TYPE</u> | <u>FOUNDATION</u> | <u>COMMENTS</u> | <u>FINAL ACTION</u> |
|------------------------------|--------------------------------|-------------------|-------------------|---------------------|
| R1.1 KIRK | HEADSTONE/BASE (BLUE PEARL) | CONCRETE | LOOSE ON BASE | 5 |
| R2.2 OSLAND | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R3.3 LONG | HEADSTONE (GREY GRANITE) | CONCRETE | LOOSE ON CONCRETE | 5 |
| R2.3 ROSE | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R2.4 BUTLER | H/S/BASE (BLACK GRANITE) | | LOOSE ON BASE | 5 |
| R2.5 MITCHELL | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R2.6 COWDRY | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R3.1 SMART | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R3.2 EDWARDS | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R4.1 HURCOMBE | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R4.2 WEBB | HEADSTONE/BASE (WHITE MARBLE) | | | 1 |
| R4.3 GREGORY | HEADSTONE/BASE (RED GRANITE) | | LOOSE ON CONCRETE | 5 |
| R4.6 SEAGER | HEADSTONE/BASE (BLACK GRANITE) | | | 1 |
| R4.7 WYNN | HEADSTONE/BASE (BLUE PEARL) | | | 1 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 2

| <u>SECTION/MEMORIAL NAME</u> | <u>MEMORIAL TYPE</u> | <u>FOUNDATION</u> | <u>COMMENTS</u> | <u>FINAL ACTION</u> |
|------------------------------|--------------------------------|-------------------|------------------------------|---------------------|
| R4.8 TILLEY | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R4.9 MINTY | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R5.2 STRATTON | H/S AND KERBS (WHITE MARBLE)_ | | | 1 |
| R5.5 PAGET | H/S AND KERBS (WHITE MARBLE)_ | | | 1 |
| R5.6 BRAY | BOOK AND BASE (WHITE MARBLE) | | | 1 |
| R5.7 KELLOWAY | H/S AND KERBS (WHITE MARBLE)_ | | | 1 |
| R5.11 GRACE | H/S AND KERBS (GREY GRANITE) | | LOOSE ON KERBS | 5 |
| R5.12 BELCHER | HEADSTONE/BASE (GREY GRANITE) | | | 1 |
| R5.14 LESTER | H/S AND KERBS (WHITE MARBLE)_ | | | 1 |
| R6.1 ELLEN | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R6.2 SEAGER | H/S AND KERBS (FOREST OF DEAN) | | | 1 |
| R6.3 DAY | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON BASE | 5 |
| R6.4 BREWER | H/S AND KERBS (WHITE MARBLE)_ | | | 1 |
| R6.5 LONG | H/S AND KERBS (FOREST OF DEAN) | | LOOSE ON KERBS - FULL RE-FIX | 5 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 3

| SECTION/MEMORIAL NAME | MEMORIAL TYPE | FOUNDATION | COMMENTS | FINAL ACTION |
|-----------------------|--------------------------------|------------|-------------------|--------------|
| R6.7 BEYONT | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R6.8 HARRIET | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R6.10 BROWN | H/S AND KERBS (GREY GRANITE) | | LOOSE ON KERBS | 5 |
| R6.11 TIMORRELL | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R6.12 HUGHES | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R6.15 PAGET | CROSS AND KERBS (GREY GRANITE) | | | 1 |
| R7 DAVIS | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R7 WOOTTON | HEADSTONE/BASE (WHITE MARBLE) | | | 1 |
| R7 REEVES | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R7 BUTLER | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R7 BOX | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R7 PAGET | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R7 FRANCIS | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R7 PAGET | HEADSTONE/BASE | | | 1 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 4

| <u>SECTION/MEMORIAL NAME</u> | <u>MEMORIAL TYPE</u> | <u>FOUNDATION</u> | <u>COMMENTS</u> | <u>FINAL ACTION</u> |
|------------------------------|--------------------------------|-------------------|-------------------|---------------------|
| R7 GEE | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R7 CANNINGS | H/S ANDK KERBS (WHITE MARBLE) | | | 1 |
| R7 PAGET | H/S AND KERBS (RED GRANITE) | | | 1 |
| R7 OFFER | H/S AND KERBS (GREY GRANITE) | | LOOSE ON KERBS | 5 |
| R8 AMOR | HEADSTONE/BASE (WHITE MARBLE) | | | 1 |
| R8 REED | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R8 CLEVERLEY | HEADSTONE/BASE (GREY GRANITE) | | | 1 |
| R8 HUGHES | MONOLITH (FOREST OF DEAN) | | LOOSE IN SOCKET | 5 |
| R8 BULLOCK | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R8 BULLOCK | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R8 FISHER | HEADSTONE/BASE (BLACK GRANITE) | | | 1 |
| R8 PAGET | H/S AND KERBS (GREY GRANITE) | | | 1 |
| R8 PAGE | H/S AND KERBS (WHITE MARBLE) | | | 1 |
| R8 WAGWORTH | H/S AND KERBS (GREY GRANITE) | | | 1 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 5

| SECTION/MEMORIAL NAME | MEMORIAL TYPE | FOUNDATION | COMMENTS | FINAL ACTION |
|-----------------------|--------------------------------|------------|---------------------|--------------|
| R9 HAINES | HEADSTONE/BASE (NABRESINA) | | LOOSE ON BASE | 5 |
| R9 WATT | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| R10/232 MAY | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R10/235 MAY | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| R10/244 LEWIS | BOOK AND BASE (WHITE MARBLE) | | LOOSE ON TICK RESTS | 5 |
| R11/265 REEVES | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R11/278 WATTS | HEADSTONE/BASE (DARK GREY) | | LOOSE ON CONCRETE | 5 |
| R11/281 REEVES | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON BASE | 5 |
| R11/284 BULLOCK | H/S AND KERBS (GREY GRANITE) | | LOOSE ON KERBS | 5 |
| R12/288 ALFORD | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R12/305 HUMPHRIES | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R12/310 PAVEY | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R13/321 HUGHES | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R13/322 WHEELER | HEADSTONE/BASE (KARIN GREY) | | LOOSE ON CONCRETE | 5 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 6

| SECTION/MEMORIAL NAME | MEMORIAL TYPE | FOUNDATION | COMMENTS | FINAL ACTION |
|-----------------------|-----------------------------------|------------|----------------------------|--------------|
| R13/346 PAGET | BOOK AND BASE (DARK GREY GRANITE) | | LOOSE ON TICK RESTS | 5 |
| R14/348 GREEN | HEADSTONE/BASE (WHITE MARBLE) | | LOOSE ON CONCRETE | 5 |
| R15/376 BENHAM | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON BASE | 5 |
| R15/379 PAGET | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON BASE AND CONCRETE | 5 |
| R15/380 AMOR | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| R15/384 POWNEY | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| R15/385 BRYANT | BOOK AND BASE (BLACK GRANITE) | | LOOSE ON TICK RESTS | 5 |
| R15/386 FENNEL | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON BASE | 5 |
| R16/408 HART | BOOK AND BASE (BLACK GRANITE) | | LOOSE ON TICK RESTS | 5 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

CEMETERY MEMORIAL INSPECTION FORM

BROMHAM CEMETERY

02.03.23

PAGE 7

NEW SECTION

| SECTION/MEMORIAL NAME | MEMORIAL TYPE | FOUNDATION | COMMENTS | FINAL ACTION |
|-----------------------|-----------------------------------|------------|----------------------------|--------------|
| N410 AMOR | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N413 WEBB | BOOK AND BASE (DARK GREY GRANITE) | | LOOSE ON TICK RESTS | 5 |
| N420 SMITH | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N426 GLASS | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N434 BREACH | HEADSTONE/BASE (DARK GREY) | | LOOSE ON CONCRETE | 5 |
| N436 BULLER | HEADSTONE/BASE (DARK GREY) | | LOOSE ON CONCRETE | 5 |
| N451 HARD | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N457 EATON | HEADSTONE/BASE (FOREST OF DEAN) | | LOOSE ON CONCRETE | 5 |
| N465 HABERSHON | HEADSTONE/BASE (DARK GREY) | | LOOSE ON CONCRETE | 5 |
| N473 BUTLER | HEADSTONE/BASE (DARK GREY) | | LOOSE ON BASE AND CONCRETE | 5 |
| N476 NASH | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N486 GARONER | HEADSTONE/BASE (DARK GREY) | | LOOSE ON CONCRETE | 5 |
| N487 LAURIE | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |
| N470 HODGES | HEADSTONE/BASE (BLACK GRANITE) | | LOOSE ON CONCRETE | 5 |

Risk Assessment Categories:

1. GOOD CONDITION - NO ATTENTION REQUIRED.
2. RE-INSPECT IN TWO YEARS.
3. RE-INSPECT/REPAIR IN 12 MONTHS.
4. RE-INSPECT/REPAIR IN 6 MONTHS.
5. REPAIR WITHIN 1 MONTH

